



AUX-FR04

Quick Start Installation Guide for
Select 2004-13 FORD with Sirius and/or RSE

Created: June 10, 2011

Revised April 22, 2019

Introduction:

Many Ford owners with Sirius and/or Rear Seat Entertainment (RSE) factory options will be pleased to know that they no longer have to disconnect these options in order to connect their audio devices.

The AUX-FRD4 retains Sirius or RSE** options and provides a 3.5mm Audio jack which can be used to connect and play all kinds of audio devices including Smartphones, MP3 Players, iPod etc. on the car system without sacrificing the factory option.

Installation:

Remove Radio from dashboard to gain access to the connectors. (Vehicle specific radio removal instructions are not part of this guide, but available upon request)

1. With radio out, disconnect vehicles 16-way plug (See **Fig. 3**) from the Radio (See **Fig. 1**)



Fig. 1

Ford Radio connectors

2. Connect Ford 16-way plug removed from radio to 16-way connector on adapter harness (See **Fig. 2**).



Fig. 2

16-way connector on harness

3. Connect 16-way plug (See **Fig. 3**) on Adapter harness to 16-way connector on Radio



Fig. 3

16-way plug on harness

4. Carefully route audio jack (See **Fig. 4**) to a location on dash or nearby panel where it will be mounted (within 4 ft.). This location will vary based on vehicle and customer's preference




Fig. 4
Audio Jack

5. **Optional:** Drill a 1/4" hole in the dash, push aux jack threaded end through hole and tighten nut (See **Fig. 5**)



Fig. 5



Warning! Should you decide to securing jack to dashboard, make sure mounting surface/panel is at least 1/8" thick otherwise the threads on the jack will not protrude enough to engage the nut. (If necessary, use a Dremel to grind and thin panel). Drilling a hole to secure jack is not necessary for operation but doing so makes for a stock look and easier to plug/unplug audio device.

Test Operation:

1. Turn Radio "ON"
2. Press "AUX" button to enter Sirius or RSE mode
3. Connect Audio device to jack using supplied 3 ft. Audio cable (See **Fig. 6**) or similar.
4. Playback of selected Mode is interrupted and music from Audio device will play.



Fig. 6
3.5mm Male audio cable

5. Use radio volume control knob to set playback level

Warning! Playlist and Track selection is *NOT* possible from radio. You must use audio device built-in controls to access music files.

6. To listen to Sirius or RSE, simply disconnect 3.5mm audio cable from jack and operate Radio as customary
7. If correct operation is confirmed go ahead and reinstall Radio

Frequent asked questions

1. **Does the AUX-FR004 work in vehicles with Ford Navigation radios**
YES; this adapter works in 2004-Up vehicles with Ford navigation radios **except 2003-2006 Expedition and All 2011-Up**
2. **Does the AUX-FR004 work in vehicles with FORD Sync**
YES; the AUX-FR004 also works in vehicles with Ford Sync so long external device (Sirius or RSE) is also present.
3. **Does the AUX-FR004 work with the Ford 6-CD Changer radio?**
YES; but vehicle must have factory Sirius Radio or RSE.
4. **When I disconnect my device, RSE plays very low an distorted. What could cause this?**
In order to listen factory RSE or Sirius radio, the AUX-FR004 audio jack must be empty otherwise RSE or Sirius will not play as it should.

**RSE is interrupted upon connecting the audio device to jack. RSE audio will still be available on the IR headphones (if available).

Disclaimer

- This product has no affiliation with Ford, SiriusXM
- We're not liable for misuse of this product.
- We recommend professional installation

Email support@discountcarstereo.com

© 1995-Apr-19 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.