



PDXGM4

QUICK START AUX ADAPTER INSTALLATION GUIDE FOR SELECT 1997-06 CORVETTE

Created November 11, 2014

Revised January 2, 2024

PRODUCT SAFETY & DISCLAIMER

READ ALL INSTRUCTIONS CAREFULLY BEFORE INSTALLING, FAILURE TO DO SO MAY CAUSE PERSONAL INJURY OR DAMAGE TO PRODUCT AND/OR PROPERTY

- This installation guide is provided as a GENERAL installation guide, some vehicles vary and may require additional steps. We do not accept responsibility for third party labor charges or modifications. Exercise due-diligence when installing this product.
- We do not accept any responsibility for vehicle damage or personal injury resulting from the installation of this product.
- Careless installation and operation can result in equipment damage.

Requirements: 1997-04 CORVETTE OEM RADIO

Introduction

Many Corvette owners looking for an easy and effective way of connecting and listening to portable audio devices on the factory radio will be pleased to find the PXDXGM4. The PXDXGM4 connects to the radio 20-pin socket and compatible with **1997-04 C5 Corvette. CD changer (if present) must be disconnected**, but with the storage capacity of most portable devices, sacrificing the CD changer* should be an easy decision.

NOTE: If vehicle has a 10-pin plug in trunk/hatch, purchase our [PXDXGM2](#) instead.

Introduction (To radio)

Remove radio from dashboard to gain access to the connector. (*Click link below for radio removal instruction video*)

<https://www.youtube.com/watch?v=WTbWYNJTSDs>

1. Press black release tab to disconnect factory 20-pin plug from radio (See Fig. 1)



Fig. 1
20-pin radio plug

2. Connect radio 20-pin plug from step 1 to 20-pin connector (white) on installation harness (See Fig. 2).



Fig. 2
install harness

3. Connect installation harness 20-pin plugs (black/gray) (See Fig. 2) to radio 20-pin connector vacated in step 1
4. Connect one end of supplied 3.5mm male to male cable (See Fig. 3) to 3.5mm jack on module (See Fig. 4)



Fig. 3



Fig. 4

5. Route other end of 3.5mm male-male cable toward the dash or location where audio device will reside (within 3 ft.)

** External or remote CD changer refers to optional 6, 10 or 12-disc changer installed in trunk or hatch. (remote CD changers are not built-into Corvette AM/FN radios)

Operation

1. Turn radio "ON"
2. Press "AUX" button on radio
3. Connect audio device to 3.5mm plug (See Fig. 6).



Fig. 6

4. Initiate playback on audio devices.
5. Use radio volume control button to set playback level. To reduce distortion, set audio device volume level to 80% or less.

Warning! Playlist and Track selection is *NOT* possible from the GM radio. You must use the audio devices built-in controls to access audio files.

Frequently asked questions

- 1. Does the PXDXGM4 work without multi-disc changer?**
YES; however, if vehicle has a multi-disc changer, it must be disconnected.
To retain use of the CD changer, purchase our [AUX-GM2](#) or [A2D-G5](#)
- 2. Do I have to remove radio to install this adapter?**
YES. The [PXDXGM4](#) connects to the 20-pin port on the back of the radio.
- 3. Do you offer an aux adapter that does not require removing radio?**
If vehicle is pre-wired with a 10-pin CD plug; purchase our [PXDXGM2](#) and make connection in trunk/hatch. Multi-disc changer (if present); must be disconnected).
- 4. What is the difference between the PXDXGM4 and PXDXGM2?**
The only difference is where installation is completed. The PXDXGM4 connects directly to the AM/FM radio 20-pin port and the PXDXGM2 connects to 10-pin plug in trunk/hatch. The 10-pin plug is reserved for the factory multi-disc changer and may or may not be present. Please check your vehicle application prior to ordering.
- 5. Do you offer dash mount jack instead of plug dangling from dash?**
YES; Purchase our [3.5F-DM](#) adapter cable and mount to dash for easy plug-n-play of audio device.

Disclaimer

- This product has no affiliation with GM
- We're not liable for misuse of this product.
- We recommend professional installation.

Email support@discountcarstereo.com

© 1995-Jan-24 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.