



BT2-GM1

BLUETOOTH AUDIO STREAMING MODULE INSTALLATION GUIDE IN SELECT 1995-05 GM

Created October 10, 2024

Revised April 12, 2025

PRODUCT SAFETY & DISCLAIMER

READ ALL INSTRUCTIONS CAREFULLY BEFORE INSTALLING. FAILURE TO DO SO MAY CAUSE PERSONAL INJURY OR DAMAGE TO PRODUCT AND/OR PROPERTY

- This installation guide is provided as a GENERAL installation guide, some vehicles vary and may require additional steps. We do not accept responsibility for third party labor charges or modifications. Exercise due-diligence when installing this product.
- We do not accept any responsibility for vehicle damage or personal injury resulting from the installation of this product.
- Careless installation and operation can result in equipment damage

REQUIREMENT

1995-05 WITH AM/FM/TAPE RADIOS AND 2000-05 WITH AM/FM/CD RADIOS

Introduction

If you drive an older GM car, truck or Van that still has the original radio and looking to upgrade to music streaming; the BT2-GM1 is for you! The BT2-GM1 streaming module works on select 1995-05 GM CD changer controlling radios and replaces separate/slave or remote player (if present). A wireless connection means no wires, clutter or complicated setup. All the user has to do is connect module to radio 9-pin port, pair Smartphone, Tablet etc. and enjoy tons of applications including Pandora, Apple music and more on the car system. Unlike other offerings, the BT2-GM1 supports AVCRP allowing users to control select smartphone functions using the radio or steering wheel SEEK button, See **Frequently Asked question** at the end of this guide for details.

Alert: (Please read before proceeding)

- 1: **1995-99 AM/FM radios with built in CD player are NOT compatible.**
 - 2: 2000-05 AM/FM radios with built-in CD player are compatible
 3. 1995-05 AM/FM radios with built-in TAPE player are compatible.
- Separate (slave) Tape, single CD player or CD changer must be disconnected

Installation

1. Remove factory radio from dash (Vehicle specific radio removal procedures are not part of this guide but may available upon request)
2. If present, disconnect the factory 9-pin plug from radio (See Fig. 1)
Alert: If 9-pin radio connector is empty, proceed to step 3



Fig. 1

3. **Vehicle with BOSE:** Connect factory 9-pin plug (removed from radio in step 2) to installation harness mating 9-pin (white) connector (See Fig. 2)



Fig. 2

4. Connect installation harness 9-pin plug to radio 9-pin connector vacated in step 2. (See Fig. 3)




Fig. 3

5. Separate player (CD, TAPE or CD changer) if present; remains disconnected. **Installation harness 9-pin (white) connector remains empty except in vehicles with BOSE.**
6. Secure module and proceed to next step

Pairing

Pairing process varies between devices but basic steps are the same. Pairing is done upon initial install and will not have to be repeated.

1. Turn ignition and radio "ON"
 2. From your Bluetooth enabled device, turn the Bluetooth ON and search for Bluetooth devices.
 3. When a list of available Bluetooth devices appears on your Bluetooth device, select "DisCarSt" (See Fig. 4)
 4. Confirmation "tone" is heard on car speakers.
 5. The unit will automatically enter the BT Audio source and you can now start streaming audio from your Bluetooth enabled device.
- Note: If the mobile phone doesn't support SSP (Simple Secure Pairing) Profile, please enter the pass code of "0000"




Fig. 4

Operation

1. Turn ON the ignition and radio
2. Enter Bluetooth mode by pressing the radio "AUX" button
Alert: You may have to press the AUX button twice when the radio slot has a CD or Tape.
3. Ensure smartphone volume is set to 90% or more
4. Open streaming application (e.g., Spotify, Deezer, Apple music etc.)
5. Selected track should be heard on car speakers.
6. Adjust radio volume to your liking
7. To track backward press the radio or steering wheel < SEEK or PREV button (See Fig. 5)
8. To track forward press the radio or steering wheel SEEK > or NEXT button. (See Fig. 5)
Alert: You may also use the audio device built-in controls or touch screen for track selection.




Fig. 5

If correct operation is confirmed, re-install radio/panels.

Comparison features:

You may have seen or heard of different cables or adapters offered for your ride but unsure which one to buy. The following table is intended to break down each product feature which we hope helps in your decision. These adapters/cables work in select 1995-05 GM equipped with original Theftlock radio and some may also require separate/slave single CD, Cassette or CD changer to work.

Feature	AUX-GMI	DCS-GMI	AZD-GMI	BLU-GMI	BT2-GMI
Retains remote/slave unit*	✓	x	✓	x	x
Auxiliary input (3.5mm plug)	✓	✓	x	x	x
Requires remote/slave unit*	✓	x	✓	x	x
Music streaming	x	x	✓	✓	✓
Supports Hands-Free calls	x**	x**	x	x	x
Wireless connection	x	x	✓	✓	✓
Connects behind radio	✓	✓	✓	✓	✓
Plug-n-play installation	✓	✓	✓	✓	✓
Controls from radio buttons	x	x	x	x	✓
Optional wireless remote	x	x	✓	✓	x

*Separate/Slave units (single CD, TAPE or CD changer) are installed in lower dash or below climate controls. Main AM/FM radios are installed in upper dash.

** Speakerphone is possible if audio device supports it and by which caller's voice is heard on car speaker

NOTE: The faceplate on 1995-99 CD radios and 2000-02 CD radios is identical (See Fig. 6) The BLU-GMI is compatible with 2000-02 CD radios **but NOT compatible with 1995-99 CD radios.**



Fig.6

Frequently asked questions

- 1. My 1997 Silverado has an AM/FM/CD player in upper dash and also has a separate cassette player below climate controls; will the BT2-GMI work in this instance?**
YES. Any 1995-05 GM with separate/slave unit (See [Fig. 7](#)) attached is compatible and requires disconnecting separate/slave unit. 1995-99 **CD player radio without separate unit** in lower dash (See [Fig. 7](#)) is **NOT compatible**. This restriction applies only to 1995-99 CD radios without separate unit. 2000-05 AM/FM/CD player radios are compatible with or without separate unit.
- 2. My vehicle has a separate cassette player in lower dash; will the BT2-GMI work?**
YES; but the separate cassette must be disconnected and will no longer play.
- 3. My vehicle has a separate single CD player below climate controls; will the BT2-GMI work?**
YES; but the separate CD player must be disconnected and will no longer play.
- 4. I would like to have music streaming in my truck, and also keep the separate player in lower dash; do you offer a solution by which I can keep the separate player?**
YES; Purchase our [BTA-GMI](#) which requires and retains separate/slave unit in lower dash (See [Fig. 7](#))
- 5. When I decide to remove the BT2-GMI, will I have wiring issues?**
NO; the BT2-GMI plug-n-play harness does not interfere with factory wiring integrity. Once disconnected the system will function as it did prior.
- 6. How is streaming sound quality?**
Sound quality is very good and without static or interference provided vehicles electrical systems are up to standard.
- 7. Can I use the BT2-GMI to make/receive phone calls?**
NO; the BT2-GMI supports Bluetooth music streaming (A2DP) but does NOT support Bluetooth Hands-Free calls. Purchase our [BTH-GMI](#) instead.

- 8. My vehicle has two separate units, one in lower dash and CD changer in armrest. Will the BT2-GMI work?**
YES. But both separate units will no longer function. Purchase our [AUX-GMI](#) or [A2D-GMI](#) to retain separate unit functionality.



Fig. 7

*Separate/slave units (CD or cassette) are installed in lower dash or below climate controls. Main AM/FM Theftlock radio resides in upper dash and remains connected and functional

Disclaimer

- This product has no affiliation with GM
- We're not liable for misuse of this product.
- We recommend professional installation.

Email support@discountcarstereo.com

© 1995-Apr-25 Discount Car Stereo, Inc. All rights reserved. Information in this document is subject to change without notice. Other products and companies referred to herein are trademarks or registered trademarks of their respective companies or mark holders.